



**selt**  
sun  
protection  
systems

# **Fabrics**

**Slat Colours**  
**Construction Colours**











# AWNING FABRICS



100%  
ACRYLIC



Above pictograms apply to acrylic fabrics.



# ACRYLIC FABRICS

<p>Technical data shown below are average values of the current production</p> <p>Die angegebenen technischen Daten sind Durchschnittswerte der laufenden Produktion</p> <p>Les données techniques ci-dessous sont des valeurs moyennes de la production courante</p>	<b>ACRYLIC</b>	
Fabric Gewebe Tissu		Acrylic 100%, solution dyed Acryl 100%, spinndüsengefärbt Acrylique, 100% teint masse
Finishing Ausrüstung Traitement		Teflon - Cleangard
Weight Gewicht Poids total	DIN EN 12127	~ 300 g/m <sup>2</sup>
Width Warenbreite Laize	DIN EN 1773	120 cm
Colour fastness Farbechtheit Solidité des coloris	DIN EN ISO 105-B02	7-8 / 8
Light fastness	DIN EN ISO 105-B04	7-8/8
Oil repellency Ölabweisung Oléofugation	EN ISO 14419	4-5
Water repellency Wasserabweisung Résistance au mouillage superficiel	EN ISO 4920	100
Water column Wassersäule Colonne d'eau	EN 20 811	~ 330 mm
Tensile strength (daN/5 cm) Höchstzugkraft (daN/5 cm) Résistance à la rupture (daN/5 cm)	DIN EN ISO 13934-1	~ 140 / 95
Tear resistance (daN) Weft/Warp Weiterreißkraft (daN) Schuss/Kette Résistance à la déchirure (daN) Trame/Chaîne	EN ISO 13937-2	2.3 / 4

Acrylic fabrics guarantee the highest quality of the product, providing thermal comfort and protection against UV radiation. Made 100% out of acrylic fibre, dyed in chemical solution, provide excellent protection against colour loss. UV resistance coefficient is 7-8 at 8° scale. Impregnation with use of TEFLON® or SCOTCHGARD™ agents provides an excellent protective barrier and strengthens water-repellent qualities of the fabric, also preventing dirt adhering. Resistance to leaking: 330 mm water column. The advantage of acrylic fabric is also high resistance to tensile and tear.

# WATERPROOF FABRICS



<p>Technical data shown below are average values of the current production</p> <p>Die angegebenen technischen Daten sind Durchschnittswerte der laufenden Produktion</p> <p>Les données techniques ci-dessous sont des valeurs moyennes de la production courante</p>	<b>ACRYLIC WATERPROOF</b>	
Fabric Gewebe Tissu		Acrylic 100%, solution dyed Acryl 100%, spinndüsengefärbt Acrylique 100% teint masse
Finishing Ausrüstung Traitement		Teflon - Cleangard
Weight Gewicht Poids total	DIN EN 12127	~ 330 g/m <sup>2</sup>
Width Warenbreite Laize	DIN EN 1773	120 cm
Colour fastness Farbechtheit Solidité des coloris	DIN EN ISO 105-B02	7-8 / 8
Light fastness	DIN EN ISO 105-B04	7-8/8
Oil repellency Ölabweisung Oléofugation	EN ISO 14419	4-5
Water repellency Wasserabweisung Résistance au mouillage superficiel	EN ISO 4920	100
Water column Wassersäule Colonne d'eau	EN 20 811	~ 1000 mm
Tensile strength (daN/5 cm) Höchstzugkraft (daN/5 cm) Résistance à la rupture (daN/5 cm)	DIN EN ISO 13934-1	~ 140 / 95
Tear resistance (daN) Weft/Warp Weiterreißkraft (daN) Schuss/Kette Résistance à la déchirure (daN) Trame/Chaîne	EN ISO 13937-2	3 / 4

Waterproof acrylic fabrics are characterized by increased resistance to leaking - about 1000 mm water column. Weave structure together with modern impregnation technology provides high air permeability even on hot days. Oeko-Tex® guarantees that offered acrylic fabrics, subjected to special impregnation for water resistance, are not toxic.

# SOLID


ACRYLIC FABRICS

## BLANCO



2042 UV: 97% Gtot: 18%

## TANDEM BLANCO



8442 UV: 40% Gtot: 18%

## NATURAL




2929 UV: 97% Gtot: 18%

## MARFIL




2143 UV: 97% Gtot: 16%

## SIROCO




2226 UV: 98% Gtot: 12%

## VANILLA




2687 UV: 97% Gtot: 17%

## AMBER BEIGE



0814 UV: 99% Gtot: 15.66%

## BEIGE



2038 UV: 99% Gtot: 11%



## INTEGRAL




2838

UV: 99%

GTOT: 8%

## BERNA




2041

UV: 97%

GTOT: 16%

## OLIVE GREEN




0007

UV: 97,5%

GTOT: 2%

## GRAPHITE MELANGE



0107

UV: 97,5%

GTOT: 2%

## ALABASTER




0151

UV: 97,5%

GTOT: 13%

## LAGOON



1063

UV: 98%

GTOT: 8%

## MARMOL




1070

UV: 98%

GTOT: 7%

## RAIN



1073

UV: 99%

GTOT: 16%

## SHELL



1469

UV: 97%

GTOT: 16%

## TITANE PIGUE




6088

UV: 95%

GTOT: 5%




## PLATINUM PIGUE



U407 UV: 95% ГТот: 3%

---

## ETAIN LINK



U786 UV: 100% ГТот: 1%

---

## CELESTE LINK



U795 UV: 100% ГТот: 3%

---


## MAGMA LINK



U808 UV: 95% ГТот: 13%

---


## AVENA



2296 UV: 98% ГТот: 11%

---


## LIN MELANGE



8904 UV: 95% ГТот: 11%

---


## TWEED BROWN



0403 UV: 99% ГТот: 6.82%

---


## MINERAL



2831 UV: 99% ГТот: 7%

---


## VISION



2250 UV: 99% ГТот: 7%

---

## CHAUME PIGUE




U235 UV: 100% ГТот: 9%

---



## CAFE




2316

UV: 99%

ГТОТ: 5%

## MARBLE




0923

UV: 99%

ГТОТ: 12.8%

## TWEED LATTE




7926

UV: 98%

ГТОТ: 15%

## SNOWFLAKE




3463

UV: 95%

ГТОТ: 22%

## TWEED ARGENT




0794

UV: 98%

ГТОТ: 19%

## DARK LINEN




6727

UV: 98%

ГТОТ: 18%

## SILVER WHITE




0364

UV: 99%

ГТОТ: 7.67%

## SILVER MELANGE




0028

UV: 99%

ГТОТ: 7.36%

## TANDEM PIEDRA




8445

UV: 80%

ГТОТ: 7%

## IRON




0937

UV: 99%

ГТОТ: 6.57%



## TWEED ROCK



7151 UV: 98% ГТот: 11%

---


## SILVER



2821 UV: 97% ГТот: 13%

---


## SILVER GREY



U190 UV: 90% ГТот: 15%

---

## ZIP GREY



1597 UV: 98% ГТот: 13%

---


## PIETRA BEIGE



9415 UV: 98% ГТот: 8%

---


## PERLA



2979 UV: 97% ГТот: 8%

---


## ASH



0638 UV: 99% ГТот: 5.05%

---

## ANTRACITA



8488 UV: 99% ГТот: 6%

---


## TANDEM GRAFITO



8446 UV: 80% ГТот: 6%

---

## EBONY TWEED




7324 UV: 98% ГТот: 10%

---



## NEGRO




2170

UV: 99%

G<sub>TOT</sub>: 5%

## GRAPHITE ZIP




1524

UV: 98%

G<sub>TOT</sub>: 12%

## BASALT




8203

UV: 100%

G<sub>TOT</sub>: 5%

## FLANELLE




U104

UV: 100%

G<sub>TOT</sub>: 5%

## CHARCOAL TWEED




0402

UV: 99%

G<sub>TOT</sub>: 5%

## STITCH ANDESITE




0512

UV: 98%

G<sub>TOT</sub>: 8%

## STITCH CALCITE



0505

UV: 98%

G<sub>TOT</sub>: 9%

## STITCH RUBY




0507

UV: 98%

G<sub>TOT</sub>: 9%

## WHITE LINEN



8615

UV: 95%

G<sub>TOT</sub>: 18%

## PLATINUM



0715

UV: 90%

G<sub>TOT</sub>: 12%



## BREEZE



2777

UV: 99%

ГТОТ: 6%

## MARINE




2145

UV: 99%

ГТОТ: 5%

## AZUL




2018

UV: 99%

ГТОТ: 7%

## ORANGE




2050

UV: 99%

ГТОТ: 13%

## BRIGHT RED




2211

UV: 99%

ГТОТ: 10%

## RIOJA




2210

UV: 99%

ГТОТ: 8%

## CARMIN PIGUE




U411

UV: 100%

ГТОТ: 10%

## GRANATE



2101

UV: 99%

ГТОТ: 6%

## CURRY




U105

UV: 100%

ГТОТ: 12%

## AMARILLO




2013

UV: 99%

ГТОТ: 15%



## OCRE



2180

UV: 99%

ГТОТ: 13%

---

## JADE




0396

UV: 99%

ГТОТ: 8.12%

---

## VERDE BOTELLA



2245

UV: 99%

ГТОТ: 6%


---



# WATERPROOF

ACRYLIC FABRICS

## BLANCO




8268 UV: 97% G<sub>TOT</sub>: 18%

## MARFIL




8272 UV: 97% G<sub>TOT</sub>: 16%

## AMARILLO



8265 UV: 99% G<sub>TOT</sub>: 15%

## COCO




2047 UV: 99% G<sub>TOT</sub>: 9%

## GRIS




8271 UV: 99% G<sub>TOT</sub>: 7%

## ANTRACITA




2796 UV: 99% G<sub>TOT</sub>: 6%

## TWEED NEGRO



2085 UV: 99% G<sub>TOT</sub>: 6%

## NEGRO



8275 UV: 99% G<sub>TOT</sub>: 5%



## TOAST WATERPROF



1470

UV: 98%

G<sub>TOT</sub>: 12%

## TWEED GRIS WATERPROF



3581

UV: 99%

G<sub>TOT</sub>: 7%

# ECO WEAVE

ACRYLIC FABRICS

## MALENCO




3802

UV: 96%

G<sub>TOT</sub>: 4%

## RITTEN



3702

UV: 96%

G<sub>TOT</sub>: 6%

## SECEDA



3401

UV: 96%

G<sub>TOT</sub>: 7%

## MARMOLADA



3101

UV: 96%

G<sub>TOT</sub>: 10%



# LANDSCAPE

ACRYLIC FABRICS

## GOBI



4658 UV: 99% G<sub>TOT</sub>: 11.32% RAPPOR: 24 cm

---

## BEACH



4662 UV: 99% G<sub>TOT</sub>: 16.37% RAPPOR: 24 cm

---


## SAHARA DUST



4639 UV: 99% G<sub>TOT</sub>: 10.18% RAPPOR: 24 cm

---

## CLIFFS



4643 UV: 99% G<sub>TOT</sub>: 6.78% RAPPOR: 24 cm

---

## LADAKH



4655 UV: 99% G<sub>TOT</sub>: 5.91% RAPPOR: 24 cm

---


## FJORD



4644 UV: 99% G<sub>TOT</sub>: 7.8% RAPPOR: 24 cm

---

## NAMIB



4640 UV: 99% G<sub>TOT</sub>: 5.04% RAPPOR: 24 cm

---

## VULCANO




4665 UV: 99% G<sub>TOT</sub>: 5% RAPPOR: 24 cm

---

# LANDSCAPE MINI

ACRYLIC FABRICS


## CLAY



4627 UV: 99% ГТОТ: 11.3% RAPPORТ: 2 cm

---


## SAND



4620 UV: 99% ГТОТ: 11.4% RAPPORТ: 2 cm

---

## GRAVEL



4621 UV: 99% ГТОТ: 8.1% RAPPORТ: 2 cm

---



# ORCHESTRA

ACRYLIC FABRICS


## NAPLES LINEN



**D307** UV: 95% G<sub>TOT</sub>: 13% RAPPORT: 20 cm

---

## NAPLES HEATHER



**D305** UV: 90% G<sub>TOT</sub>: 11% RAPPORT: 20 cm

---


## NAPLES LIGHT GREY



**D304** UV: 90% G<sub>TOT</sub>: 11% RAPPORT: 20 cm

---

## NAPLES STONE



**D113** UV: 95% G<sub>TOT</sub>: 7% RAPPORT: 20 cm

---

## PENCIL YELLOW



**D323** UV: 95% G<sub>TOT</sub>: 13% RAPPORT: 30 cm

---

## PENCIL DARK GREY




**D319** UV: 100% G<sub>TOT</sub>: 8% RAPPORT: 30 cm

---

# URBAN

ACRYLIC FABRICS


## CANDLELIGHT



**0990** UV: 99% G<sub>TOT</sub>: 14% RAPPOR: 6 cm

---

## CONCRETE



**0993** UV: 99% G<sub>TOT</sub>: 10.8% RAPPOR: 6 cm

---

## TIMBER



**0992** UV: 99% G<sub>TOT</sub>: 9.6% RAPPOR: 6 cm

---



# CLASSICAL


ACRYLIC FABRICS

## CLASSICAL GRIS




2103 UV: 97% G<sub>TOT</sub>: 16% RAPPORT: 20 cm

## CLASSICAL AMARILLO



2015 UV: 97% G<sub>TOT</sub>: 15% RAPPORT: 20 cm

## CLASSICAL MOSSY TWEED



9878 UV: 98% G<sub>TOT</sub>: 15% RAPPORT: 20 cm

## CLASSICAL BEIGE



2275 UV: 98% G<sub>TOT</sub>: 14% RAPPORT: 20 cm

## CLASSICAL MARRON-BEIGE



2148 UV: 99% G<sub>TOT</sub>: 9% RAPPORT: 20 cm

## CLASSICAL NEGRO



2171 UV: 99% G<sub>TOT</sub>: 6% RAPPORT: 20 cm

# FANTASY


ACRYLIC FABRICS

## MILANO



3868 UV: 95% G<sub>TOT</sub>: 22% RAPPORT: 30 cm

## CALGARY



6712 UV: 95% G<sub>TOT</sub>: 16% RAPPORT: 30 cm

## SUNRISE



0180 UV: 99% G<sub>TOT</sub>: 14.73% RAPPORT: 30 cm

## PALERMO




3605 UV: 90% G<sub>TOT</sub>: 21% RAPPORT: 17 cm

## ARGENTINA



2016 UV: 98% G<sub>TOT</sub>: 15% RAPPORT: 30 cm

## CANBERRA



0452 UV: 98.75% G<sub>TOT</sub>: 15.51% RAPPORT: 24 cm

## DAKAR



2080 UV: 98% G<sub>TOT</sub>: 15% RAPPORT: 40 cm


## SALERNO



3861 UV: 90% G<sub>TOT</sub>: 20% RAPPORT: 30 cm



## ALBERTA



5106 UV: 98% G<sub>TOT</sub>: 15% RAPPORT: 30 cm

## MANCHESTER




2823 UV: 98% G<sub>TOT</sub>: 8% RAPPORT: 24 cm

## HARDELOT NATURE



8935 UV: 95% G<sub>TOT</sub>: 14% RAPPORT: 30 cm

## SIENNE NATURE



D100 UV: 95% G<sub>TOT</sub>: 14% RAPPORT: 30 cm

## TEXAS



2238 UV: 98% G<sub>TOT</sub>: 13% RAPPORT: 30 cm

## PERU



2201 UV: 98% G<sub>TOT</sub>: 14% RAPPORT: 30 cm

## ANDRIA




3881 UV: 95% G<sub>TOT</sub>: 18% RAPPORT: 30 cm

## MARTE




2121 UV: 99% G<sub>TOT</sub>: 11% RAPPORT: 24 cm

## BOLOGNA



3427 UV: 90% G<sub>TOT</sub>: 22% RAPPORT: 20 cm

## JAMAICA




2701 UV: 98% G<sub>TOT</sub>: 14% RAPPORT: 30 cm

## BRISBANE



0186 UV: 98.1% G<sub>TOT</sub>: 10.26% RAPPORT: 24 cm

## EDMONTON



6711 UV: 98% G<sub>TOT</sub>: 13% RAPPORT: 30 cm

## WINTONE



0734 UV: 97.5% G<sub>TOT</sub>: 12.39% RAPPORT: 24 cm

## FOGGIA



3864 UV: 95% G<sub>TOT</sub>: 18% RAPPORT: 30 cm

## BROKEN HILL




0497 UV: 95% G<sub>TOT</sub>: 16% RAPPORT: 30 cm

## NEW YORK



2174 UV: 98% G<sub>TOT</sub>: 14% RAPPORT: 30 cm

## METROPOLITAN



3608 UV: 99% G<sub>TOT</sub>: 7% RAPPORT: 30 cm

## GLADSTONE



0493 UV: 99% G<sub>TOT</sub>: 7.78% RAPPORT: 24 cm

## SIENNE STONE



8931 UV: 95% G<sub>TOT</sub>: 13% RAPPORT: 30 cm

## PLUTON



2179 UV: 99% G<sub>TOT</sub>: 10% RAPPORT: 24 cm



## RAVENNA



**3882** UV: 95% ГТОТ: 18% RAPPORT: 30 cm

---


## FIRENZE



**3889** UV: 90% ГТОТ: 20% RAPPORT: 30 cm

---

## MELBOURNE



**0054** UV: 99% ГТОТ: 11.74% RAPPORT: 24 cm

---

## ORLANDO



**2191** UV: 98% ГТОТ: 11% RAPPORT: 30 cm

---

## CANADA



**2061** UV: 99% ГТОТ: 8% RAPPORT: 30 cm

---

## PADOVA




**3875** UV: 95% ГТОТ: 17% RAPPORT: 30 cm

---

# FABRIC RAPPORT

ACRYLIC FABRICS



Multiply repeated pattern of fabric, expressed in cm and given in the chart.